

Enhancing your Independence

Catalogue 2016











Ensuring the highest quality and standards: meticulous, ethical and honest - we deliver on promises







Precision engineering... for your peace of mind

Autumn UK have been making top quality shower screens for over 26 years. We have honed our designs and invested in cutting edge manufacturing technologies to create a product you can rely on.

Autumn UK screens are feature laden with the end-user and installer in mind to ensure a trouble-free installation and an enhanced showering experience for years to come.



Contents

Page 3	3 Ex	pert Rang	ge: Foldir	ng Doors

- Page 7 Expert Range: Sliding Doors
- Page 10 Expert Range: Advantage Door Option
- Page 11 Platinum Door Range
- Page 13 Portable Easi-Screens
- Page 15 Floor Formers
- Page 16 Shower Trays
- Page 17 Curtain rails, Curtains, Grab rails and Support rails
- Page 18 Seats
- Page 19 Showers
- Page 20 Pumps
- Page 21 Tru Shower Cubicles



Catalogue 2016

Expert Range: Folding Doors



Autumn UK folding doors have been the industry benchmark for over 26 years. We proudly source and manufacture our products within the UK and use the finest 6063 grade aluminium to deliver outstanding performance. We also use PETG given its shatterproof qualities to deliver optimum safety for the user.

Our folding doors are feature laden for your benefit.







360 degree full length interlocking Three stage seal ensures a meshing seals allow the doors to be folded in any direction

compression fit to optimise performance

Door marking jig with built in spirit levels: facilitates optimum drilling and alignment points for perfect installation







Patented cove profiles to ensure best fit

Bespoke, comprehensive fitting kit containing all components

Transit clip to reduce risk of damage during carriage

An Autumn UK fitting kit is supplied, free of charge, with every door set.



Folding door options

A continual programme of design enhancement to deliver optimum function is a key element in the success of Autumn UK's "Expert" range of folding shower doors.



Option B

Fixed 1850mm panel @ 500mm complete with floor to ceiling pole.



Option C

Fixed half-height panel @ 750mm complete with floor to ceiling pole.



Option D

Fixed half-height panel and floor to ceiling pole @ 400mm complete with straight entry doors, end panel and floor to ceiling pole. Straight entry.



Option E

Fixed half-height panel and floor to ceiling pole @ 400mm complete with 2 sets of bi-folding doors meeting at the corner. Corner entry.



Option F

2 x fixed half-height panels and floor to ceiling poles @ 300mm complete with 2 single doors meeting at the corner. Corner entry.



Option G

2 x bi-folding doors opening across the front. Straight entry.



Option H

2 x bi-folding doors opening at the corner. Corner entry.

Recognised by many as the industry benchmark, our screen's incorporate numerous innovative and user orientated features to enhance the showering experience. Illustrations shown are left hand configured.





Option J

1 x bi-folding door and 1 single door meeting at the corner. Corner entry.



Option K

2 x single doors meeting in the middle. Straight entry.



Option M

1 x wall hanging bi-folding door closing into a 400mm fixed panel and floor to ceiling pole. Straight entry.



Option N

Fixed half-height panel and floor to ceiling pole @ 500mm, 1 x tri-folding door closing around the corner onto the floor to ceiling pole.



Option P

2 x half-height single doors meeting at the corner. Corner entry.



Option R

1 x half-height panel and floor to ceiling pole @ 500mm with 1 x bi-folding door closing around the corner onto the floor to ceiling pole. Corner entry.



Option S

1 x half-height bi-folding door. Straight entry.



Option T

1 x bi-folding door and 1 x single door meeting at the front. Straight entry.

For more information on our folding door options, including lead times and installation guidelines, please visit our website www.autumn.co.uk Illustrations shown are left hand configured.





Catalogue 2016

Expert Range: Sliding Doors



Made to the same high standards as Autumn UK's Expert folding door range, the Expert sliding range of screens offers even more choice when specifying your wetroom.

Designed and manufactured in the UK, the screens are supplied with compensators to facilitate the optimum level of adjustment.

- √ 750mm high for optimum assistance
- √ 6063 grade aluminium with Epoxy powder coating to ensure a lasting high quality finish
- Anti-shatter PETG panels as standard to ensure user safety
- ✓ Able to easily separate for cleaning.
- Available in 7 different configurations to support all your bathroom design needs
- Available in left-hand and right-hand configurations

The sliding screens are also supplied with a patented tool that allows the doors to be separated and cleaned easily.







Expert sliding door options

Available in 7 different configurations to suit individual preference and care needs. Also available with the advantage option at no extra charge - see over.



Option 1

2 x sliding doors meeting at the corner.



Option 2

1 x sliding door hung off one wall.



Option 3

1 x half-height fixed panel @ 400mm complete with floor to ceiling pole, with one set of sliding doors closing onto the floor to ceiling pole.



Option 4

2 x sliding doors with straight entry, meeting in the middle.



Option 5

1 x half-height panel @ 400mm complete with floor to ceiling pole with 1 sliding door hung off the floor to ceiling pole.



Option 6

1 x half-height fixed panel and floor to ceiling pole @ 400mm with 2 sets of sliding doors meeting on the corner.



Option 7

1 x fixed half-height panel and floor to ceiling pole @ 400mm with 1 x set of sliding doors closing on to a half-height end panel and floor to ceiling pole.



Expert Range:

Advantage Door Option

Occasionally clients may experience difficulties opening traditional shower doors. Autumn's Advantage option is a free add-on to folding and sliding doors, which eradicates door seal maintenance and ensures they are easy to open.

The benefits

Advantage doors incorporate a unique air assisted hinge, operated by a small lever that lifts the door clear of the floor. This provides a smooth operation and prolongs the life of the seal. Once closed, a gentle push down secures the door in position and provides an effective seal.

For the Advantage option please state when placing your order.

How to operate an Advantage door









Push the lever to release the Advantage door.

2

The door lifts 20mm off the floor to allow it to swing away.

3

To reset the door, push down as indicated.





Catalogue 2016

Platinum Door Range







Autumn UK reflect differing user needs and aspirations and we are delighted to present the Platinum door range which function superbly and look beautiful to ensure all bathroom users enjoy preferred aesthetics alongside practicality.

Available in option G (straight entry) and H (corner entry) as standard with additional special sizes and options available on request.

- √ 750mm high for optimum assistance
- 6063 Grade aluminium
- Contoured edging for comfort

- ✓ Available in left or right hand configurations
- Highly polished surface finish
- 360° intermeshing hinge for increased strength, rigidity and waterproofing



Catalogue 2016

Portable Easi-Screens







2 panel Easi-Screen

3 panel Easi-Screen

Easi-Screens are constructed with the same attention to detail as the wider door range and are 750mm high.

They have the same high quality construction and safety features with the added benefit of being portable, ideal when you need to move them in and out of the showering area.

Available in two panel and three panel configurations. There are 2 size options to choose from.

Sizes

2 Panels Size: 750mm x 750mm


3 Panels Size: 500 mm x 500mm x 500mm



Floor Formers

Floor formers supplied by Autumn UK feature a rotating 360 degrees drain plate to help avoid underfloor obstructions. Manufactured using glass content SMC, the former is able to withstand up to 300kg (47 stone) without the need for under boarding. The eccentric drain also features three locating rings to provide enhanced engagement between the former and the rotating drain plate.

The former is consistently of 22mm depth around the perimeter and can be trimmed anywhere up to the solid surround with a standard handsaw and can be fitted on wood and concrete floors.



Sizes available

900mm x 900mm

1000mm x 1000mm

1200mm x 750mm

1300mm x 800mm

1400mm x 900mm

1200mm x 1200mm

1750mm x 750mm

1850mm x 900mm



Shower Trays

All shower trays supplied by Autumn UK are tested to DIM 51097:1992. Their features

- √ 35mm high and fully supported
- CNC machined MDF core to maintain size and consistency
- 50mm perimeter laid to a minimum 1mm fall to encourage water to flow to the drainage zone
- ✓ Can support weight of 250KG
- Available in both left-hand and right-hand configurations
- Supplied with flexible self-adhesive tiling upstand



Sizes available

900mm x 900mm

1000mm x 1000mm

1200mm x 750mm

1300mm x 800mm

Curtain rails



All Autumn UK curtain rails are made in-house using the latest technologies to ensure the highest quality products.

Straight Rail

7ft (2100mm) 6ft (1800mm) 3ft (900mm)

L Rail

1000 x 1000mm 1200 x 1200mm 1500 x 800mm 1800 x 800mm

U Rail

1000 x 1000mm

Curtains



Width x drop

1830 x 1830mm 1800 x 2135mm 2000 x 2135mm 2200 x 1830mm 1200 x 1200mm

Grab rails



300mm White ABS ribbed 450mm White ABS ribbed

600mm White ABS ribbed

- Made from high quality ABS plastic
- Fluted for extra grip in wet environments
- Suitable for interior and exterior use
- Colour: white, other colours are available on request





Trombone hinged support rail

- Lift and lock folding mechanism
- Integral toilet roll holder
- Colour: white, other colours are available on request



Trombone hinged support rail with leg

- Adjustable folding support leg for extra strength
- Integral toilet roll holder
- Colour: white, other colours are available on request



Code: SEAT UP

Code: SEAT P

Code: ABUP

Code: ABP

Seats



Wall mounted shower seat with legs

- Height adjustable with durable clip-on moulded plastic seat
- Non-corrosive aluminium & stainless steel frame construction
- 1 year warranty

- Maximum weight limit 190kg (30 stone)
- 460 (d) x 440-570 (h) x 500mm
- Colour: white



Wall mounted padded shower seat with legs

- Height adjustable with durable clip-on moulded plastic seat
- Closed cell polyurethane construction pads for comfort and maximum hygiene
- Non-corrosive aluminium & stainless steel frame construction
- 1 year warranty
- Maximum weight limit 190kg (30 stone)
- 460 (d) x 460-590 (h) x 500mm
- Colour: white and grey



Wall mounted shower seat with padded arms

- Padded fold down arm rests
- Height adjustable with durable clip-on moulded plastic seat
- Non-corrosive aluminium & stainless steel frame construction
- 1 year warranty
- Maximum weight limit 190kg (30 stone)
- 546 (d) x 853-983 (h) x 589mm
- · Colour: white



Wall mounted fully padded shower seat

- Height adjustable with durable clip-on moulded plastic seat
- Closed cell polyurethane construction pads for comfort and maximum hygiene
- Sturdy white epoxy coated aluminium frame
- Padded fold down arm rest
- 1 year warranty
- Maximum weight limit 190kg (30 stone)
- 546 (d) x 851-981 (h) x 589mm
- Colour: white and grey



Showers



Mira Advance ATL Flex 9kw

- Safe and precise shower
- Tactical raised areas, a dominant on/off LED and audible indicators to aid navigation
- Easy glide slide bar enables one handed operation for ease of height adjustment
- Thermostatic temperature control ensuring a constant and comfortable showering experience
- Extended riser rail with wall or corner mounting options
- 9.0kw



Redring Selectronic Premier Plus 8.5

- Fully thermostatic operation
- Audible feedback response to push-button commands
- Automatic shutdown after 30 minutes of inactivity
- Ingenious temperature "Lock Mode", with three optional settings - eliminating any increase by accident
- Clear print control identification for ease of visibility and legibility
- Automatic shutdown after 30 minutes of inactivity



Triton Safeguard +

- BEAB CARE/RNIB approved thermostatic shower
- Adjustable maximum temperature stop
- Audible feedback option
- Phased shutdown
- Adjustable timed shutdown
- Multi pipe and cable entry points



Mira Select Flex

- Combines stylish looks with the perfect mix of safety features
- Large easy to handle levers with highly visible graphics
- 2m hose and a 1m slide bar
- Thermostatic temperature control ensuring a constant and comfortable showering experience
- Cool valve technology-valve does not get hot during use
- Approved to TMV2 standard



Pumps

Hydro Logic HL3000 removes waste water where no connection to the soil stack is possible or where no gravity fall is available.

The Hydro Logic HL3000 is manufactured by Autumn UK in the UK and automatically activates when the shower is used. It has an LED display and diagnostic system.

Our range



Quiescent

- Designed for where noise reduction is required
- Operates by adjusting the speed of the pump to match water flow rate
- · Available for left and right hand water feed



Dual

- Pumps water at one of two pre-set speeds
- Available for left and right hand water feed



Compact

- Conveniently designed to fit in the smallest of spaces
- Separate transformer for flexible installation
- Available for left and right hand water feed



Tru Shower Cubicle

Autumn UK's innovative and easy to install cubicles enable a person to adapt their property quickly.

It's ideal for clients and families who do not want to adapt their bathroom to a permanent wet floor. The cubicles can also be relocated and recycled.

The Tru Cubicles have a watertight seal thanks to Autumn UK's unique Advantage screen option.

Features include:



- ✓ 1200 x 1000 x 75mm Shower Tray
- 3 sided high pressure laminate back and sides
- Advantage air assisted doors
- ✓ Two LED roof lights
- Extractor Fan
- Quiescent shower pump
- ✓ Aluminium ore grab rail
- Curtain & curtain rail
- ✓ Shower seat
- Electric shower unit
- ✓ 1200 x 460 x 75mm ramp



Tru Shower Toilet Cubicle

Autumn UK's shower toilet cubicles provide complete showering and toileting facilities all-in-one.

They provide a watertight showering enclosure with the added WC and hand basin to enhance personal care.

Can be a temporary or a permanent installation.

Features include:



- ✓ 1200 x 1000 x 75mm Shower Tray
- 3 sided high pressure laminate back and sides
- Advantage air assisted doors
- ✓ Two LED roof lights
- Extractor Fan
- Quiescent shower pump
- Aluminium ore grab rail
- Curtain & curtain rail
- Electric shower unit
- 1200 x 460 x 75mm ramp
- Wash hand basin complete (with taps)
- ✓ Wall fitted toilet
- ✓ Toilet seat
- Cistern
- Macarator





Get in touch

The Wellington Centre Whitelands Road Ashton Under Lyne OL6 6UY

- © 0161 331 3000

 Call before 12pm for next day delivery
- Order before 12pm and pick up after 3pm



